


Vehicle-No.: 607010

Mercedes-Benz 1848 LS ACTROS L tractor for semi-trailer Lowliner
Euro 56.500,00 + Mwst.

AVG Trucks GmbH
 Gwinnerstraße 36
 60388 Frankfurt/M
 Telephone: **+49 (0) 69-942138-0**
 Fax: **+49 (0) 69-942138-38**

info@avg-trucks.de
<http://www.avg-trucks.de>

Contract structure	Lowliner
First registration	29.03.2022
Mileage	389.300 km
Emission level	6
Engine power	350/476 kW/PS
Total weight	18.000 kg
Kerb weight	8.182 kg
Payload	9.818 kg
Wheelbase	3.700 mm
Height of edge of trailer tray	930 mm
Suspension	Air suspension
Operator's cab	StreamSpace breit

Equipment

1G2 12-gear transmission automatic
 A1A Front axle with air suspension
 A1D Front axle 8.0 t
 B1B Electronic braking system with ABS and ASR
 B2A Disk-brakes front- and rearaxle
 B2X Parking brake, electronic
 B3K Secondary oil retarder
 C1W Wheelbase 3.700 mm
 C7T integral rear
 D0A leather Steering Wheel
 D1C Driver's suspension seat comfort
 D1N Passenger seat feature
 D3A Comfort Bed, top, width, height-adjustable
 D3B Comfortable bed, below
 D4S Electric sun blind, 1-part
 D4T Curtain across bed
 D4Z Sun blind side, driver and passenger side
 D5F LED ambient lighting, drive and live
 D6C Electric parking air conditioner
 D6G automatic climate control
 D6I Residual heat
 D6M Hot water heater, cab
 D6V Noise and heat insulation, cab
 D7J Drawers under bed
 D7R Storage flaps over front window
 D7V Table on the passenger side
 D8M Sliding / tilt sunroof electric, glass version
 D8X Seat base, lowered by 40 mm
 E3R Power Socket 24 V / 25 A, front passenger footwell
 E4B Interface, fleet management system FMS

E5K MirrorCam counter, by the bed
E6A Trailer socket 24V, 15-pin
E6Y Reversing alarms combined with hazard lights
E7F Cable remote control for air suspension
E9G Preparation for electrical devices
E9I Provision switch, lift axle semitrailer / trailer
F1I StreamSpace cab 2.50 m wide, level floor
F1R Cab long
F2H Cab width 2.50 m
F2P Cab, height 765 mm top
F4X Storage compartment outside flap left
F4Y Storage compartment outer flap, right
F4Z f5b
F5B Air deflectors, Snap, with cab side deflectors
F5L Sun visor, exterior, transparent
F6T MirrorCam
F8E Locking system with central locking
F8F comfort Lock
F8V Light sensor
F8W Rain sensor
G0K Driving program economy / power
G0T Predictive Powertrain Control (PPC)
G5G Mercedes PowerShift 3
H16 Driver's seat heating
I4A 4x2 wheel formula
I6V Air suspension, rear axle Lowliner
J2K Speaker, 2-way system
J2U Navigation system
J3U Requirement FleetBoard Manager App
J3V Truck Data Center 7
J3Z Axle load measuring device
J6C Multimedia cockpit, interactive
J9A Provision for fitting CB radio, 12 V, DIN slot
J9D Pre-installation for toll collection
K1G Tank 660 liters + 75 liters of AdBlue
KE2 Tank 230 liters
L1C LED-daytime running lights
L1D Automatic high / low beam and cornering light
L1G LED headlights
L1H Fog lamps, halogen
L1P LED taillights
L1W Indicadores LED en firma luminosa
L3A Spotlight, below
L3C Working lights, cab rear wall, above
L3Z Headlight washers
M3C Engine OM471, R6, 12,8 L, 350 kW (476 PS), 2300 Nm
M4X Engine version Euro 6, E
M5B 2nd generation engine OM471
M5V High Performance Engine Brake
O1Y Steering, direct
O3C Safety Pack
O3I Sight Package, with LED headlight
O3J Climate Package for sound/heat insulation
O3R Actros L
O7L Chrome package, interior

O8I Economy Package
O8K Driving Package
S1D Stability Rules Wizard
S1H Lane keeping assistant
S1I Distance Keeping Assist
S1L Alertness assistant
S1O Traffic sign assistant
S1W Active Brake Assist 5
S1X Active Sideguard Assist
S1Y Tire pressure monitoring system
S3A Airbag, driver
S5Z cruise control
U1W AdBlue pipes, water-heated
V2B Actros model generation 5
W9Z Weight variant 18,0 t (7,5/11,5)
Y1X Refrigerator, in drawers, under the bed
Z1H EBS
Z99 Vehicle without sparewheel
Legal notice: The details of this offer are subject to change. Subject to prior sale. For sale to businesses only.